Largest Selection of Engraving Materials—Prompt Delivery

- Flexible Gravoply
- Lustrous Metallex
- Weather Resistant 2-Plex
- Rigid Phenolic
- Pre-Polished Brass
- Anodized Aluminum
- Deluxe Plateholders
- Identification Badges
- Modular Frame System
- Engraving Accessories

1-800-8-Hermes
Request Catalog

new
hermes
incorporated

The World Leader in Engraving Machines and Materials

NORTHEAST: 20 Cooper Square, New York, NY 10003,
Tel: (212) 777-3080; Telex 667367.

SOUTHWEST: 12243 E. Northwest Hwy., Dallas, TX 75228,
Tel: (214) 328-9835.

SOUTHEAST: 2443 Park Central Blvd., Decatur, GA 30035,
Tel: (404) 981-2562.

WEST COAST: 11711 Monarch St., Garden Grove, CA 92641,
Tel: (714) 898-9265.

MIDWEST: 3642 West 128th Place, Alsip, (Chicago) IL 60658,
Tel: (312) 371-3744.

Call Toll Free Nationwide 1-800-8-HERMES

CANADA: 1561 Courtney Park Drive East, Mississauga, Ont. L5T 1V9,
Tel: (416) 677-2224.

CANADA: 215 Montpellier, Montreal, Que. H4N 2G3,
Tel: (514) 744-4518.

CANADA: 3430 25th Street N.E., Calgary, Alberta T1Y 6C1,
Tel: (403) 291-2043.

EUROPE/ASIA: New Hermes International Limited, Bureau commercial,
Rue de la Gare 45, CH-1260 NYON, Switzerland,
Tel: (022) 61 84 55, Telex 28476 nhi ch.

GRAVOPLY®

SWATCH BOOK

new
hermes
incorporated

GRAVOPLY®

Gravoply®

A LUSTROUS SATIN FINISH, FLEXIBLE BLENDED ACRYLIC EXTRUDED SHEET, WITH CAP AND CORE PERMANENTLY FUSED TOGETHER.

A material that engraves beautifully, wears well and is available in more colors than any other product on the market. Gravoply colors have a richness and depth. Gravoply woodgrains are designed with a realistic texture to simulate both oiled and lacquered natural wood. Gravoply is easy to work with. Unvarying thickness of both the cap and core layers make it easy to engrave. Gravoply is also excellent for hot stamping and die cutting. Gravoply is chip and shatter proof.

saw when the sheet is cut. See price book for sizes, specifications, fabrications and discounts.

GRAVOPLY®

Material Specifications

Gravoply®

- Indoor Use Only.
- Strength—Self supporting in moderate sizes. Best break resistance.
- Temperature tolerance—For use up to 150° F.
- Care—Mild dishwashing liquid. For removal of tar, grease or paint use mild solvents.
- Expansion and contraction—8" sign can change as much as 1/16" in length in extreme temperature change. Drill oversize holes for mounting to allow for expansion and contraction.
- Fabrication—Shear, saw, drill, hot stamp, die-cut, bend, bevel, bond or cement.



210	217	212	211	213	202	201	200	203	226	227
Black	Black	Black	Black	Black	White	White	White	White	Azure Blue	Azure Blue
White	Yellow	Gray	Almond	Translucent White	Red	Green	Black	Blue	White	Yellow
		NEW	NEW	For Backlighted Signs						

GRAVOPLY®

New Hermes sheet sizes are efficient. We give you a basic 24" x 48" sheet but with an extra margin to allow for the width of the saw when the sheet is cut. **See price book for sizes, specifications, fabrications and discounts.**



258	259	257	270	269	268	225	223	231
Apple Green	Pine Green	Green	Met. Grey	Silver Grey	Gray	Met. Blue	Airforce Blue	Purple
White	White	White	White	Black	Almond	White	White	White
					NEW			

GRAVOPLY®

New Hermes sheet sizes are efficient. We give you a basic 24" x 48" sheet but with an extra margin to allow for the width of the saw when the sheet is cut. **See price book for sizes, specifications, fabrications and discounts.**



251	253	248	250	242	276	275	235	239	205
Burgundy	Burgundy	Red	Red	Rust	Burnt Orange	Orange	Yellow	Yellow	Ivory
White	Gray	White	Yellow	White	Black	White	Black	Blue	Brown
	NEW								

GRAVOPLY®

New Hermes sheet sizes are efficient. We give you a basic 24" x 48" sheet but with an extra margin to allow for the width of the saw when the sheet is cut. **See price book for sizes, specifications, fabrications and discounts.**



284	280	243	244	240	241	296	291	292	293	290
Almond	Almond	Cocoa	Cocoa	Brown	Choc. Brown	Maple	Lt. Walnut	Dk. Walnut	Am. Walnut	Walnut
Black	Gray	White	Brown	White	White	White	White	White	White	Glossy White
	NEW									

GRAVOPLY®

Custom Colors: For colors not shown in our swatch book, contact your local Material Service Representative, call our Nationwide **Toll Free Number 1-800-8-Hermes.**

999-253

Largest Selection of Engraving Materials – Prompt Delivery

- Weather Resistant 2-Plex
- Lustrous Metallex
- Flexible Gravoply
- Rigid Phenolic
- Pre-Polished Brass
- Anodized Aluminum
- Deluxe Plateholders
- Identification Badges
- Modular Frame System
- Engraving Accessories

1-800-8-HERMES
Request Catalog

new
hermes
incorporated

The World Leader in Engraving Machines and Materials

NORTHEAST: 20 Cooper Square, New York, NY 10003
Fax: (212) 460-8508

SOUTHWEST: 12243 E. Northwest Hwy., Dallas, TX 75228
Fax: (214) 328-6681

SOUTHEAST: 2443 Park Central Blvd., Decatur, GA 30035
Fax: (404) 981-7407

WEST COAST: 11711 Monarch St., Garden Grove, CA 92641
Fax: (714) 897-6633

MIDWEST: 3642 West 128th Place, Alsip (Chicago), IL 60658
Fax: (312) 371-2380

Call Toll Free Nationwide 1-800-8-HERMES

CANADA:
1561 Courtney Park Drive East, Mississauga, Ont. L5T 1V9
Fax: 1-800-668-5356

EUROPE/ASIA:
New Hermes International Limited
Route des Avouillons 12, CH-1196 Gland, Switzerland
Fax: (022) 64 41 96

Stock Number 999-254

Gravoply II®

SWATCH
BOOK

Contract Interiors
Tech Patterns
Metallex

new
hermes
incorporated

1-800-8-HERMES

Gravoply II®

new hermes incorporated

1-800-8-HERMES

Gravoply II®

new hermes incorporated

Material Specifications

- Indoor use only.
- Strength – self supporting in moderate sizes. Best break resistance.
- Temperature tolerance – use up to 150°F.
- Care – mild dishwashing liquid. Do not use solvents.
- Expansion and contraction – 8" sign can change as much as 1/16" in length in extreme temperature change. Drill oversize holes for mounting to allow for expansion and contraction.
- Fabrication – shear, saw, drill, hot stamp, die-cut, bend, silk screen, bevel, bond or cement. Surface non-conducive to bonding chemicals.

1-800-8-HERMES



297	267	228	220	263	264	219	299	206	232
Pewter	Clay	Slate	Ecru	Clay	Clay	Ecru	Pewter	Ecru	Slate
Ecru	Ecru	Ecru	Slate	Slate	Pewter	Pewter	Clay	Clay	Clay

Contract Interiors®

New Hermes sheet sizes are efficient. We give you a basic 24" x 48" sheet but with an extra margin to allow for the width of the saw when the sheet is cut. **See price book for sizes, specifications, fabrications and discounts. Toll Free Number: 1-800-8-HERMES.**



200	235	248	240	241	259	233	226	271	210
White	Yellow	Red	Brown	Choc. Brown	Pine Green	Sky Blue	Azure Blue	Gray	Black
Black	Black	White	White	White	White	White	White	White	White

Gravoply II® Colors

New Hermes sheet sizes are efficient. We give you a basic 24" x 48" sheet but with an extra margin to allow for the width of the saw when the sheet is cut. **See price book for sizes, specifications, fabrications and discounts. Toll Free Number: 1-800-8-HERMES.**



291	294	293	298	295
Satin Light	Rosewood	Satin Amer.	Col. Walnut	Teak
White	White	White	White	White



215	209	286	272	246
Black Micro-Dot	Black Stripe	Silver Stripe	Black Grid	Silver Grid
White	White	Black	White	Black

Gravoply II® Woods Tech Patterns®

New Hermes sheet sizes are efficient. We give you a basic 24" x 48" sheet but with an extra margin to allow for the width of the saw when the sheet is cut. **See price book for sizes, specifications, fabrications and discounts. Toll Free Number: 1-800-8-HERMES.**



247	278	279	279	289	285	285
Bronze	Eur. Gold	Glossy Gold	Radiant Gold	Br. Alum.	Radiant Silver	Glossy Silver
White	Black	Black	Black	Black	Black	Black

Interior Use
Surface Engrave

Metallex®

Custom Colors: For colors not shown in our swatch book, contact your local Material Service Representative, or call our Nationwide **Toll Free Number: 1-800-8-HERMES.**

Largest Selection of Engraving Materials – Prompt Delivery

- Weather Resistant 2-Plex
- Lustrous Metallex
- Flexible Gravoply
- Rigid Phenolic
- Pre-Polished Brass
- Anodized Aluminum
- Deluxe Plateholders
- Identification Badges
- Modular Frame System
- Engraving Accessories

1-800-8-HERMES
Request Catalog

new
hermes
incorporated

The World Leader in Engraving Machines and Materials

NORTHEAST: 20 Cooper Square, New York, NY 10003
Tel: (212) 777-3080; Telex 667367
SOUTHWEST: 12243 E. Northwest Hwy., Dallas, TX 75228
Tel: (214) 328-9835
SOUTHEAST: 2443 Park Central Blvd., Decatur, GA 30035
Tel: (404) 981-2562
WEST COAST: 11711 Monarch St., Garden Grove, CA 92641
Tel: (714) 898-9265
MIDWEST: 3642 West 128th Place, Alsip (Chicago), IL 60658
Tel: (312) 371-3744

Call Toll Free Nationwide 1-800-8-HERMES

CANADA:
1561 Courtney Park Drive East, Mississauga, Ont. L5T 1V9
Tel: (416) 677-2224
215 Montpellier, Montreal, Que, H4N 2G3
Tel: (514) 744-4518
3430 25th Street N.E., Calgary, Alberta T1Y 6C1
Tel: (403) 291-2043

EUROPE/ASIA:
New Hermes International Limited, Bureau Commercial,
Rue de la Gare 45, CH-1260 NYON, Switzerland
Tel: (022) 61 84 55; Telex 28476 nhi ch

Stock #999257

2-Plex®

SWATCH BOOK

new
hermes
incorporated

1-800-8-HERMES

2-Plex®

2-Plex®

FOR BOTH OUTDOORS AND INDOORS, A BLENDED ACRYLIC EXTRUDED SHEET WITH CAP AND CORE PERMANENTLY FUSED TOGETHER.
2-Plex is formulated to be resistant to sun-fading and undamaged by moisture or rain.

Unsurpassed versatility. Not only can 2-Plex be used indoors or out, it can be both front or reverse engraved. Its glossy or matte clear finish sheets have been designed for reverse engraving to produce the handsome subsurface engraved signs and plates as seen in many modern office buildings, hotels and transportation centers.

saw when the sheet is cut. **See price book for sizes, specifications, fabrications and discounts.** Toll Free Number: 1-800-

2-Plex®

Material Specifications

- Outdoor and Indoor use.
- Strength – Self supporting in moderate sizes. Better break resistance.
- Temperature tolerance – For use up to 150°F.
- Care – Mild dishwashing liquid. For removal of tar, grease or paint use mild solvents.
- Expansion and contraction – 8" sign can change as much as 1/16" in length in extreme temperature change. Drill oversize holes form mounting to allow for expansion and contraction.
- Fabrication – Saw, bend, hot stamp, bond or cement.


404 Black Clear
407 White Clear
405 Blue Clear
421 Metallic Blue Clear
487 Silver Gray Clear
455 Red Clear
452 Burgundy Clear
445 Choc. Brown Clear
414 Almond Clear
408 Clear Clear

2-Plex® IMPROVED MATTE CLEAR – FOR REVERSE ENGRAVING

New Hermes sheet sizes are efficient. We give you a basic 24" x 48" sheet but with an extra margin to allow for the width of the saw when the sheet is cut. **See price book for sizes, specifications, fabrications and discounts. Toll Free Number: 1-800-8-HERMES.**


404 Black Clear
407 White Clear
405 Azure Blue Clear
455 Red Clear
445 Choc. Brown Clear


410 Black White
411 Black Ivory
400 White Black
402 White Red
426 Azure Blue White

2-Plex® GLOSSY CLEAR FOR REVERSE ENGRAVING

2-Plex® GLOSSY FINISH FOR SURFACE ENGRAVING

New Hermes sheet sizes are efficient. We give you a basic 24" x 48" sheet but with an extra margin to allow for the width of the saw when the sheet is cut. **See price book for sizes, specifications, fabrications and discounts. Toll Free Number: 1-800-8-HERMES.**


425 Metallic Blue White
458 Apple Green White
459 Pine Green White
469 Silver Gray Black
448 Red White
451 Burgundy White
441 Choc. Brown White
435 Yellow Black
481 Ivory Choc. Brown
484 Almond Black

2-Plex® GLOSSY FINISH FOR SURFACE ENGRAVING (Continued)

New Hermes sheet sizes are efficient. We give you a basic 24" x 48" sheet but with an extra margin to allow for the width of the saw when the sheet is cut. **See price book for sizes, specifications, fabrications and discounts. Toll Free Number: 1-800-8-HERMES.**


410 Black White
411 Black Ivory
400 White Black
426 Azure Blue White
425 Metallic Blue White
458 Apple Green White
469 Silver Gray Black
448 Red White
451 Burgundy White
481 Ivory Choc. Brown
484 Almond Black

2-Plex® MATTE FINISH FOR SURFACE ENGRAVING

New Hermes sheet sizes are efficient. We give you a basic 24" x 48" sheet but with an extra margin to allow for the width of the saw when the sheet is cut. **See price book for sizes, specifications, fabrications and discounts. Toll Free Number: 1-800-8-HERMES.**


410 Black White
400 White Black
426 Blue White
469 Silver Gray Black
448 Red White
405 Ivory Choc. Brown
484 Almond Black

2-Plex® TEXTURED FOR SURFACE ENGRAVING

Custom Colors: For colors not shown in our swatch book, contact your local Material Service Representative, or call our Nationwide **Toll Free Number: 1-800-8-HERMES.**

Signature Series

2-Plex®

new Hermes incorporated

Material Specifications

- Outdoor and indoor use.
- Strength – self supporting in moderate sizes. Better break resistance.
- Temperature tolerance – for use up to 150°F.
- Care – mild dishwashing liquid. For removal of tar, grease or paint use mild solvents.
- Expansion and contraction – 8" sign can change as much as 1/16" in length in extreme temperature change. Drill oversize holes for mounting to allow for expansion and contraction.
- Fabrication – saw, bend, hot stamp, bond or cement.

1-800-8-HERMES

Stock Number 999-257A

Signature Series

2-Plex®

new Hermes incorporated

2-Plex®

FOR BOTH OUTDOORS AND INDOORS.

2-Plex is formulated to be resistant to sun-fading and undamaged by moisture or rain.

1-800-8-HERMES



418	416	460	430	456	483	461
Eggshell	Taupe	Verde	Heather Rose	Bordeaux	Coral	Seafoam
Clear	Clear	Clear	Clear	Clear	Clear	Clear

Interior and Exterior Use
Subsurface and
Subsurface Paint Filled Engrave

Signature Series
2-Plex® MATTE CLEAR FOR SUBSURFACE ENGRAVING

New Hermes sheet sizes are efficient. We give you a basic 24" x 48" sheet but with an extra margin to allow for the width of the saw when the sheet is cut. **See price book for sizes, specifications, fabrications and discounts.** **Toll Free Number: 1-800-8-HERMES.**



438	465	462	482	434	436
Bordeaux	Verde	Seafoam	Coral	Eggshell	Cream
Cream	Coral	Bordeaux	Verde	Periwinkle	Taupe

Interior and Exterior Use
Surface and
Surface Paint Filled Engrave

Signature Series
2-Plex® MATTE FINISH FOR SURFACE ENGRAVING

New Hermes sheet sizes are efficient. We give you a basic 24" x 48" sheet but with an extra margin to allow for the width of the saw when the sheet is cut. **See price book for sizes, specifications, fabrications and discounts.** **Toll Free Number: 1-800-8-HERMES.**